





Modular
Assembly Technology

PIPE & JOINT SYSTEM

ISO 14001: 2004 | ISO 9001: 2008





PIPE & JOINT SYSTEM

Is a manufacturing company, specialized in metal stamping, form rolling and pipe extrusion. With more than 20 years of manufacturing experience, we are able to produce stamping parts with consistent accuracy.



CONTENT

1	PIPES	03 PAGE		
2	METAL JOINT	07 PAGE		
3	METAL SET	11 PAGE		
4	METAL ACCESSORIES	15 PAGE		
5	PLASTIC JOINTS	21 PAGE		
6	PLASTIC ACCESSORIES	23 PAGE		
7	PLASTIC PROFILES	27 PAGE		
8	ROLLER TRACKS	31 PAGE		
9	ROLLER TRACKS GUIDES	35 PAGE		
10	MONUTING BRACKETS	37 PAGE		
11	WHEELS AND CASTORS	43 PAGE		
12	FEET	47 PAGE		
13	CAPS AND BUSSINGS	51 PAGE		
14	FASTENERS	55 PAGE		





PIPES

ISO 14001: 2004 / ISO 9001: 2008



PIPES

*STANDARD LENGTH = 4000MM

ABS COATED PIPE – COLOUR TABLE						
Classification Standard Color	STANDARD PIPE			SLIDE PIPE	FLAT PIPE	
	Ø 28 X T0.7	Ø 28 X T1.0	Ø 28 X T2.0	Ø 28 X T1.0	Ø 28 X T0.7	Ø 28 X T1.0
IVORY (IV)	●	●	●	●	●	●
GREEN (GR)	●	●	●	●	—	—
DARK BLUE (DB)	●	●	●	●	—	—
LIGHT BLUE (LB)	●	●	●	●	—	—
LIGHT GREY (LG)	●	●	●	●	—	—
DARK GREY (DG)	●	●	●	—	●	●
BLACK (BK)	●	●	●	●	—	—
RED (RE)	●	●	●	●	—	—
YELLOW(YE)	●	●	●	●	—	—
WHITE (WH)	●	●	●	—	●	●
ESD BLACK (EB)	●	●	●	●	●	●
LINE ESD (LI)	●	●	—	—	—	—

*STANDARD LENGTH = 4000MM

STAINLESS STEEL PIPE – COLOUR TABLE						
Classification Standard Color	STANDARD PIPE			SLIDE PIPE	FLAT PIPE	
	Ø 28 X T0.7	Ø 28 X T1.0	Ø 28 X T2.0	Ø 28 X T1.0	Ø 28 X T0.7	Ø 28 X T1.0
STAINLESS STEEL (SS)	●	●	—	—	—	—

PIPES

*STANDARD LENGTH = 4000MM



POWDER COATED PIPE – COLOUR TABLE			
Classification	Standard	STANDARD PIPE	
		Ø 28 X T0.7	Ø 28 X T1.0
Color			
IVORY (IV)		●	●
GREEN (GR)		●	●
DARK BLUE (DB)		●	●
LIGHT BLUE (LB)		●	●
LIGHT GREY (LG)		●	●
DARK GREY (DG)		●	●
BLACK (BK)		●	●
RED (RE)		●	●
YELLOW(YE)		●	●
WHITE (WH)		●	●
ESD BLACK (EB)		●	●
LINE ESD (LI)		●	●

PIPES


NUMBERING SYSTEM						
CLASSIFICATION	ITEM	PART NO		STEEL THICKNESS	WEIGHT PER PC	TYPE
		COATED	ESD PIPE			
PLASTIC COATED PIPE	STANDARD PIPE	CP2807 – X	ECP2807 – X	Ø28 X T0.7	2,050 KG	
		CP2810 – X	ECP2810 – X	Ø28 X T1.0	2,750 KG	
		CP2820 – X	ECP2820 – X	Ø28 X T2.0	4,400 KG	
	SLIDE PIPE	SP2810 – X	ESP2810 – X	Ø28 X T1.0	3,000 KG	
	FLAT PIPE	FP2807 – X	EFP2807 – X	Ø28 X T0.7	2,300 KG	
		FP2807 – X	EFP2807 – X	Ø28 X T1.0	3,050 KG	
	LINE PIPE ESD		ECP2807 – X	Ø28 X T0.7	2,050 KG	
			ECP2810 – X	Ø28 X T1.0	2,750 KG	
PWDER COATED PIPE	STANDARD PIPE	PP2808 – X	ECP2808 – X	Ø28 X T0.8	2,200 KG	
		PP2812 – X	EPP2812 – X	Ø28 X T1.2	3,300 KG	
STAINLESS STEEL PIPE		SSP2807		Ø28 X T0.7	1,800 KG	
		SSP2812		Ø28 X T1.2	3,300 KG	

COLOUR CODE NUMBERING SYSTEM FOR COATED PIPES

PIPE	STEEL THICKNESS	COLOUR CODE
CP = ABS pipe SP = ABS slide pipe FP = ABS flat pipe ECP = ABS pipe (ESD) ESP = ABS slide pipe (ESD) EFP = ABS flat pipe (ESD) PP = Powder coated pipe EPP = Powder coated pipe (ESD)	07 = t 0.7 10 = t 1.0 12 = t 1.2 20 = t 2.0	IV = IVORY GR = GREEN DB = DARK BLUE LB = LIGHT BLUE LG = LIGHT GREY DG = DARK GREY BK = BLACK RE = RED YE = YELLOW WH = WHITE EG = ESD GREY EB = ESD BLACK LI = LINE ESD
EXAMPLE: ABS COATED PIPE, DARK BLUE, Ø28 X T1.0 = CP2810-DB. OTHER COLOURS ON REQUEST.		



Modular
Assembly Technology



METAL JOINTS

ISO 14001: 2004 / ISO 9001: 2008



METAL JOINTS

● NI = Copper Plated


● BK = Black Finish

E – 1 [90° BUTT JOINT]



Weight per pc: 0.067kg / Quantity per box: 330pcs

E – 1C [OPEN 90° BUTT JOINT]


Weight per pc: 0.062kg / Quantity per box: 330pcs

E – 2 [INNER ELBOW]


Weight per pc: 0.097kg / Quantity per box: 230pcs

E – 3 [OUTER ELBOW]



Weight per pc: 0.124kg / Quantity per box: 100pcs

E – 4 [180° FLAT JOINT]


Weight per pc: 0.111kg / Quantity per box: 240pcs

E – 6 [CROSSOVER JOINT]


Weight per pc: 0.049kg / Quantity per box: 250pcs

E – 6C [OPEN CROSSOVER JOINT]


Weight per pc: 0.044kg / Quantity per box: 250pcs

E – 7A [VARIABLE ANGLE JOINT]


Weight per pc: 0.048kg / Quantity per box: 450pcs

METAL JOINTS

● NI = Copper Plated

● BK = Black Finish

E – 7B [VARIABLE ANGLE JOINT]



Weight per pc: 0.060kg / Quantity per box: 360pcs

E – 8 [PARALLEL JOINT]



Weight per pc: 0.054kg / Quantity per box: 360pcs

E – 9 [DOUBLE BUTT JOINT]



Weight per pc: 0.133kg / Quantity per box: 150pcs

E – 11 [ROUNDED CORNER JOINT]



Weight per pc: 0.104kg / Quantity per box: 200pcs

E – 12 [SLIDING BUTT JOINT]



Weight per pc: 0.062kg / Quantity per box: 270pcs

– 13A [45° DIAGONAL JOINT]



Weight per pc: 0.073kg / Quantity per box: 240pcs

E – 13B [45° DIAGONAL JOINT]



Weight per pc: 0.073kg / Quantity per box: 240pcs

E – 14 [DOUBLE VARIABLE ANGLE JOINT]



Weight per pc: 0.057kg / Quantity per box: 300pcs



METAL JOINTS

● NI = Copper Plated

● BK = Black Finish

E – 15A [MULTI-PURPOSE JOINT]



Weight per pc: 0.038kg / Quantity per box: 840pcs

E – 15B [MULTI-PURPOSE JOINT]



Weight per pc: 0.041kg / Quantity per box: 420pcs

E – 16 [MULTI-PURPOSE JOINT]



Weight per pc: 0.048kg / Quantity per box: 450pcs

E – 17 [SLIDING PARALLEL JOINT]




Weight per pc: 0.050kg / Quantity per box: 300pcs

E – 18 [SLIDING PARALLEL JOINT]



Weight per pc: 0.054kg / Quantity per box: 300pcs

E – 20 [FLAT PIPE CLAMP]



Weight per pc: 0.070kg / Quantity per box: 300pcs



METAL JOINTS SETS

ISO 14001: 2004 / ISO 9001: 2008



METAL JOINTS SETS

● NI = Copper Plated

● BK = Black Finish

ES - 1 - BK / NI



E-1-BK/NI×2 M0625×1 TN06×1

ES - 1C - BK / NI



E-1C-BK/NI×2 M0625×1 TN06×1

ES - 2 - BK / NI



E-2-BK/NI×1 E-3-BK/NI×1 M0625×2 TN06×2

ES - 3 - BK / NI




E-2-BK/NI×2 E-4-BK/NI×1 M0625×3 TN06×3

ES - 4 - BK / NI



E-4-BK/NI×2 M0625×2 TN06×2

ES - 5 - BK / NI



E-2-BK/NI×4 M0625×4 TN06×4

ES - 6 - BK / NI



E-6-BK/NI×2 M0625×1 TN06×1

ES - 6C - BK / NI



E-6C-BK/NI×2 M0625×1 TN06×1




METAL JOINTS SETS

● NI = Copper Plated

● BK = Black Finish

ES – 7 – BK / NI




E-7A-BK/NI×2 E-7B-BK/NI×2 M0625×2 TN06×2

ES – 8 – BK / NI




E-8-BK/NI×2 M0625×1 TN06×1

ES – 9 – BK / NI



E-9-BK/NI×2 M0625×1 TN06×1

ES – 11 – BK / NI



E-11-BK/NI×2 M0625×2 TN06×2



METAL JOINTS SETS

● NI = Copper Plated

● BK = Black Finish

ES - 12 - BK / NI




E-12-BK/NI×2 GAP-12×1 M0625×1 TN06×1

ES - 13 - BK / NI



E-13A-BK/NI×1 E-13B-BK/NI×1 M0625×1 TN06×1

ES - 14 - BK / NI



E-14-BK/NI×2 E-7B-BK/NI×4 M0625×4 TN06×4

ES - 15 - BK / NI



E-15A-BK/NI×1 E-15B-BK/NI×1 M0610×1 TN06×1

ES - 16 - BK / NI



E-16-BK/NI×2 SC-2×2

ES - 17 - BK / NI



E-17-BK/NI×2 GAP-12×1 M0625×1 TN06×1

ES - 18 - BK / NI



E-18-BK/NI×2 GAP-12×2 M0625×1 TN06×1

ES - 20 - BK / NI



E-1-BK/NI×1 E-20-BK/NI×1 M0625×1 TN06×1




METAL ACCESSORIES

ISO 14001: 2004 / ISO 9001: 2008



METAL ACCESSORIES

PC – A [PIPE CLAMP]


Weight per pc: 0.077kg / Quantity per box: 200pcs

PC – B [PIPE CLAMP]




Weight per pc: 0.020kg / Quantity per box: 500pcs

PC – C [PIPE CLAMP]



Weight per pc: 0.023kg / Quantity per box: 500pcs

PC – D [PIPE CLAMP, QUICK RELEASE]



Weight per pc: 0.125kg / Quantity per box: 50pcs

PC – F [BOARD FIXING]


Weight per pc: 0.11kg / Quantity per box: 500pcs

PR – A [PIPE REST]


Weight per pc: 0.118kg / Quantity per box: 100pcs

PR – B [PIPE REST]


Weight per pc: 0.146kg / Quantity per box: 80pcs

P – CON – A [PIPE CONNECTOR]


Weight per pc: 0.073kg / Quantity per box: 140pcs


METAL ACCESSORIES

P – CON – B [PIPE CONNECTOR]



Weight per pc: 0.073kg / Quantity per box: 140pcs

SA – S [SHOCK ABSORBER SUPPORT]




Weight per pc: 0.116kg / Quantity per box: 150pcs

SA [SHOCK ABSORBER]




Weight per pc: 0.214kg / Quantity per box: 50pcs

DM – A [DIVIDING METAL A]



Weight per pc: 0.073kg / Quantity per box: 200pcs

DM – B [DIVIDING METAL B]




Weight per pc: 0.224kg / Quantity per box: 100pcs

CS – 28L [CORNER SUPPORT L]



Weight per pc: 0.750kg / Quantity per box: 25pcs

CS – 28R [CORNER SUPPORT R]



Weight per pc: 0.750kg / Quantity per box: 25pcs

CM – 100 [ATTACHING STRIP FOR PLATE TYPE WHEELS]



Weight per pc: 0.111kg / Quantity per box: 200pcs




METAL ACCESSORIES

CM – 200 [ATTACHING STRIP FOR PLATE TYPE WHEELS]



Weight per pc: 0.116kg / Quantity per box: 150pcs

CM – A [BOARD CORNER SUPPORT A]




Weight per pc: 0.104kg / Quantity per box: 100pcs

CM – B [BOARD CORNER SUPPORT B]




Weight per pc: 0.069kg / Quantity per box: 100pcs

CM – C [CORNER BUMPER METAL]




Weight per pc: 0.175kg / Quantity per box: 40pcs

SR – 1 [SLIDE RAIL 35 X 202MM]




Weight per pc: 0.232kg / Quantity per box: 100pcs

SR 2 [SLIDE RAIL 35 X 240MM]



Weight per pc: 0.280kg / Quantity per box: 100pcs

SR – 3 [SLIDE RAIL 35 X 300MM]






Weight per pc: 0.320kg / Quantity per box: 100pcs

TB300 [Tilt Bar 300 mm]



Weight per pc: 0.184kg / Quantity per box: 60pcs

METAL ACCESSORIES

TB400 [Tilt Bar 400 mm]		PR – L	
			
Weight per pc: 0.270kg / Quantity per box: 60pcs		Weight per pc: 0.085kg / Quantity per box: 200pcs	
PR – S		TH50Y – A [TOOL HOLDER]	
			
Weight per pc: 0.085kg / Quantity per box: 200pcs		Weight per pc: 0.220kg / Quantity per box: 50pcs	
REH – A [REAR HAUL RING A]		VOS– A [SHUT TING HANGING METAL]	
			
Weight per pc: 4.000kg / Quantity per box: 10pcs		Weight per pc: 0.068kg / Quantity per box: 150pcs	
VOS– B [SHUT TING LINK METAL]		BH – A [BAND HOOK]	
			
Weight per pc: 0.092kg / Quantity per box: 150pcs		Weight per pc: 0.002kg / Quantity per box: 1000pcs	

METAL ACCESSORIES

BH – B [BAND HOOK]



Weight per pc: 0.001kg / Quantity per box: 1000pcs

PH – A [HOOK]




Weight per pc: 0.006kg / Quantity per box: 500pcs

EWS – A [ROLLER TRACK BRAKE]




Weight per pc: 0.038kg / Quantity per box: 800pcs

EWS – B [ROLLER TRACK BRAKE]



Weight per pc: 0.033kg / Quantity per box: 800pcs

FH – A [TOW BAR]



Weight per pc: 5.000kg / Quantity per box: 5pcs

FH – B [TOW BAR]



Weight per pc: 6.000kg / Quantity per box: 5pcs



Modular
Assembly Technology



PLASTIC JOINTS

ISO 14001: 2004 / ISO 9001: 2008



PLASTIC JOINTS


● BK = Black ● EB = ESD Black ● IV = Ivory

GAP – 01 [90° THROUGH JOINT]




Weight per pc: 0.029kg / Quantity per box: 250pcs

GAP – 02A [3 WAY PLASTIC JOINT]



Weight per pc: 0.048kg / Quantity per box: 200pcs

GAP – 2B [3 WAY HOLL PLASTIC JOINT]



Weight per pc: 0.044kg / Quantity per box: 200pcs

GAP – 05 [PLASTIC JOINT CORNER]




Weight per pc: 0.032kg / Quantity per box: 300pcs

GAP – 13 [PLASTIC JOINT CORNER]




Weight per pc: 0.059kg / Quantity per box: 120pcs

GAP – 16 [PLASTIC JOINT- CROSSED]



Weight per pc: 0.017kg / Quantity per box: 500pcs

GAP – 18 [2 way plastic joint]



Weight per pc: 0.021kg / Quantity per box: 300pcs



PLASTIC ACCESSORIES

ISO 14001: 2004 / ISO 9001: 2008



PLASTIC ACCESSORIES

● BK = Black ● EB = ESD Black ● IV = Ivory

GAP – 06 [INNER CAP]


Weight per pc: 0.005kg / Quantity per box: 2500pcs

GAP – 07 [PLASTIC JOINT]


Weight per pc: 0.011kg / Quantity per box: 750pcs

GAP – 08 [HORIZONTAL HOLDER]


Weight per pc: 0.005kg / Quantity per box: 2000pcs

GAP – 10A [PIPE ROLLER TRACK INNER CAP]


Weight per pc: 0.006kg / Quantity per box: 2000pcs

GAP– 11 [TAPER EDGE]


Weight per pc: 0.002kg / Quantity per box: 2500pcs

GAP – 12 [SIEVE]


Weight per pc: 0.007kg / Quantity per box: 1000pcs

GAP – 12S [PIPE ROLLER TRACK INNER CAP]






Weight per pc: 0.006kg / Quantity per box: 2000pcs

GAP – 15 [SHEET HOLDER]


Weight per pc: 0.006kg / Quantity per box: 2000pcs

PLASTIC ACCESSORIES

● BK = Black ● EB = ESD Black ● IV = Ivory

GAP – 17 [PLASTIC JOINT]  Weight per pc: 0.014kg / Quantity per box: 500pcs		GAP – 19A [PLASTIC JOINT]  Weight per pc: 0.011kg / Quantity per box: 1000pcs	
GAP – 19B [PLASTIC JOINT]  Weight per pc: 0.014kg / Quantity per box: 1000pcs		GAP – 19C [PLASTIC JOINT]  Weight per pc: 0.014kg / Quantity per box: 1000pcs	
GAP – 20 [FLEXIBLE PLASTIC LOCKER]  Weight per pc: 0.019kg / Quantity per box: 250pcs		GAP – 49 [PLASTIC JOINT]  Weight per pc: 0.013kg / Quantity per box: 1000pcs	
LA – B [LABEL HOLDER 430 X 310MM]  Weight per pc: 0.100kg / Quantity per box: 250pcs		LA – C [LABEL HOLDER 300 X 220MM]  Weight per pc: 0.078kg / Quantity per box: 250pcs	

PLASTIC ACCESSORIES

● BK = Black ● EB = ESD Black ● IV = Ivory

LA - D [LABEL HOLDER 60 X 150MM]



Weight per pc: 0.012kg / Quantity per box: 500pcs

NP - 150 [LABEL HOLDER 54 X 150MM]



Weight per pc: 0.026kg / Quantity per box: 1000pcs

NP - 250 [LABEL HOLDER 54 X 250MM]



Weight per pc: 0.43kg / Quantity per box: 600pcs

NP - 1000 [LABEL HOLDER 54 X 1000MM]



Weight per pc: 0.173kg / Quantity per box: 30pcs




PLASTIC PROFILES

ISO 14001: 2004 / ISO 9001: 2008



PLASTIC PROFILES



L-TYPE


ITEM	DESCRIPTION	WEIGHT PER PC	QUANTITY PER BOX
AL – 1	30×50×3.3mm, 4m long	1,493 kg	20
AL – 1EB	30×50×3.3mm, 4m long, ESD	1,627 kg	20
AL – 2	50×90×3.3mm, 4m long	2,360 kg	15
AL – 2 – EB	50×90×3.3mm, 4m long, ESD	2,493 kg	15
AL – 3	80×90×3.3mm, 4m long	2,867 kg	15
AL – 3 – EB	80×90×3.3mm, 4m long, ESD	3,000 kg	15
AL – 4	50×40×5mm, 4m long	2,533 kg	15
AL – 4 – EB	50×40×5mm, 4m long, ESD	2,667 kg	15
AL – 5	50×50×5mm, 4m long	2,800 kg	15
AL – 5 – EB	50×50×5mm, 4m long, ESD	2,933 kg	15
AL – 6	50×75×5mm, 4m long	3,533 kg	15
AL – 6 – EB	50×75×5mm, 4m long, ESD	3,667 kg	15
AL – 7	50×100×5mm, 4m long	4,267 kg	10
AL – 7 – EB	50×100×5mm, 4m long, ESD	4,400 kg	10
AL – 8	50×150×5mm, 4m long	5,733 kg	10
AL – 8 – EB	50×150×5mm, 4m long, ESD	5,867 kg	10

PLASTIC PROFILES



T-TYPE

ITEM	DESCRIPTION	WEIGHT PER PC	QUANTITY PER BOX
AT – 1	100×55×4mm, 4m long	3,000 kg	8
AT – 1 – EB	100×55×4mm, 4m long, ESD	3,200 kg	8



U-TYPE

ITEM	DESCRIPTION	WEIGHT PER PC	QUANTITY PER BOX
AU – 1	36×36×3mm, 4m long	1,800 kg	18
AU – 1 – EB	36×36×3mm, 4m long, ESD	1,933 kg	18



U-TYPE

ITEM	DESCRIPTION	WEIGHT PER PC	QUANTITY PER BOX
PC– 1	pipe cover, 4m long	0,880 kg	20
PC– 1 – EB	36×36×3mm, 4m long, ESD	1,000 kg	20



ROLLER TRACKS


ISO 14001: 2004 / ISO 9001: 2008



ROLLER TRACKS

*STANDARD LENGTH = 4000MM

RT-40B/RT-40B-ESD



COLOR = WHITE, BLACK
LOAD CAPACITY = 150 KG
ROLLER DIAMETER = 34 MM
SHAFT DIAMETER = 4MM
ROLLER PITCH = 36MM
GALVANISED STEEL(SPCC) / PE

RT-40C/RT-40C-ESD



COLOR = WHITE, BLACK
LOAD CAPACITY = 150 KG
ROLLER DIAMETER = 43 MM
SHAFT DIAMETER = 4MM
ROLLER PITCH = 45MM
GALVANISED STEEL(SPCC) / PE

RT-85A



COLOR = WHITE
LOAD CAPACITY = 300 KG
ROLLER DIAMETER = 45 MM
SHAFT DIAMETER = 5 MM
ROLLER PITCH = 50 MM
GALVANISED STEEL(SPCC) / PE

ROLLER TRACKS

*STANDARD LENGTH = 4000MM

RT-40BQ/RT-40BQ-ESD




COLOR = WHITE, BLACK
 LOAD CAPACITY = 150 KG
 ROLLER DIAMETER = 34 MM
 SHAFT DIAMETER = 4MM
 ROLLER PITCH = 36MM
 GALVANISED STEEL(SPCC) / P

RT-40CQ/RT-40CQ-ESD



COLOR = WHITE, BLACK
 LOAD CAPACITY = 150 KG
 ROLLER DIAMETER = 43 MM
 SHAFT DIAMETER = 4MM
 ROLLER PITCH = 45MM
 GALVANISED STEEL(SPCC) / PE


RT-40S/RT-40S-ESD




COLOR = WH,BK,RE,YE
 LOAD CAPACITY = 150KG
 ROLLER DIAMETER = 16MM
 SHAFT DIAMETER = 4MM
 ROLLER PITCH = 22MM
 GALVANISED STEEL(SPCC) / PE




ROLLER TRACKS




RT - 40B - WHITE




RT - 40B - BLACK




RT - 40C - WHITE



RT - 40C - BLACK



RT - 40S - YELLOW



RT - 85A - WHITE



ROLLER TRACKS GUIDES

ISO 14001: 2004 / ISO 9001: 2008



ROLLER TRACKS GUIDES

RTG-1 [ROLLER TRACK GUIDE SIDE, PLASTIC, 4 M]



Weight per pc: 3.067kg / Quantity per box: 10pcs

RTG-2 [ROLLER TRACK GUIDE CENTRE, PLASTIC, 4 M]



Weight per pc: 2.600kg / Quantity per box: 10pcs

RTG-3 [ROLLER TRACK GUIDE SIDE OFFSET 40MM, PLASTIC, 4 M]



Weight per pc: 3.467kg / Quantity per box: 10pcs

RTG-4 [ROLLER TRACK GUIDE SIDE OFFSET 40MM, STEEL, 1.5 M]



Weight per pc: 1.350kg / Quantity per box: 10pcs

RTG-4E [ROLLER TRACK GUIDE SIDE OFFSET 40MM, STEEL, 1.5 M, POWDER COATED (ESD)]



Weight per pc: 1.350kg / Quantity per box: 10pcs



MOUNTING BRACKETS

ISO 14001: 2004 / ISO 9001: 2008



MOUNTING BRACKETS

GP – A [STANDARD TRACK SUPPORT]




Weight per pc: 0.131kg / Quantity per box: 100pcs

GP – AR [STANDARD TRACK SUPPORT]



Weight per pc: 0.122kg / Quantity per box: 100pcs

GP – AL [STANDARD TRACK SUPPORT]



Weight per pc: 0.133kg / Quantity per box: 100pcs

GP – ARL [STANDARD TRACK SUPPORT]




Weight per pc: 0.128kg / Quantity per box: 100pcs

GP – B [ROLLER SUPPORT WITH STOP]




Weight per pc: 0.157kg / Quantity per box: 80pcs

GP – BL [ROLLER SUPPORT WITH STOP]




Weight per pc: 0.180kg / Quantity per box: 80pcs

GP – C [ROLLER SPLICE]



Weight per pc: 0.128kg / Quantity per box: 120pcs


GP – C1 [ROLLER SPLICE WITH CENTRE SUPPORT]



Weight per pc: 0.177kg / Quantity per box: 50pcs


MOUNTING BRACKETS

GP – C1L [ROLLER SPLICE WITH CENTRE SUPPORT]




Weight per pc: 0.193kg / Quantity per box: 50pcs

GP – D [ROLLER SUPPORT WITH LARGE STOP]



Weight per pc: 0.142kg / Quantity per box: 80pcs

GP – DL [ROLLER SUPPORT WITH LARGE STOP]





Weight per pc: 0.180kg / Quantity per box: 80pcs

GP – E [ROLLER BRIDGE]





Weight per pc: 0.073kg / Quantity per box: 200pcs

GP – F [STANDARD TRACK SUPPORT - Y STYLE]




Weight per pc: 0.190kg / Quantity per box: 80pcs

GP – G [STANDARD TRACK SUPPORT-WITH TAB STOP]




Weight per pc: 0.223kg / Quantity per box: 60pcs

GP – H [ROLLER TO ROLLER SUPPORT]



Weight per pc: 0.240kg / Quantity per box: 40pcs


GP – HR [ROLLER TO ROLLER SUPPORT]




Weight per pc: 0.240kg / Quantity per box: 40pcs



MOUNTING BRACKETS

GP – J [ADJUSTABLE ROLLER TO SLIDE PIPE UNION]



Weight per pc: 0.230kg / Quantity per box: 40pcs

BT– 1



Weight per pc: 0.043kg / Quantity per box: 360pcs

BT– 2



Weight per pc: 0.137kg / Quantity per box: 120pcs

MCP – A – L [MOUNT CORNER PLATE-LEFT]




Weight per pc: 1.220kg / Quantity per box: 16pcs

MCP – A – R [MOUNT CORNER PLATE-RIGHT]



Weight per pc: 1.220kg / Quantity per box: 16pcs

GP – A85 [STANDARD TRACK SUPPORT FOR 85MM WIDE]


Weight per pc: 0.244kg / Quantity per box: 50pcs

GP – B85 [SUPPORT WITH STOP FOR 85MM ROLLER TRACK]



Weight per pc: 0.244kg / Quantity per box: 40pcs

GP – C85 [85MM ROLLER TRACK SPLICE]


Weight per pc: 0.204kg / Quantity per box: 80pcs



MOUNTING BRACKETS

GP-C1-85 [85MM ROLLER SPLICE WITH CENTRE SUPPORT]



Weight per pc: 0.204kg / Quantity per box: 40pcs

GP-D85 [SUPPORT FOR 85MM ROLLER TRACK]




Weight per pc: 0.295kg / Quantity per box: 50pcs

GP - E85 [BRIDGE FOR 85MM ROLLER TRACK]




Weight per pc: 0.096kg / Quantity per box: 120pcs

GS - A [SLIDE PIPE SUPPORT]




Weight per pc: 0.115kg / Quantity per box: 120pcs

GS - B [SLIDE PIPE SUPPORT WITH STOP]




Weight per pc: 0.144kg / Quantity per box: 100pcs

GS - C [SLIDE PIPE UNION]



Weight per pc: 0.109kg / Quantity per box: 120pcs

GS- D [SLIDE PIPE SUPPORT WITH DROP STOP]



Weight per pc: 0.122kg / Quantity per box: 120pcs

GS - H [SLIDE BRACKET H]




Weight per pc: 0.230kg / Quantity per box: 40pcs




MOUNTING BRACKETS

GS – RA [PIPE ROLLER A]




Weight per pc: 0.050kg / Quantity per box: 250pcs

GS – RB [PIPE ROLLER B]



Weight per pc: 0.056kg / Quantity per box: 200pcs





WHEELS AND CASTOR

ISO 14001: 2004 / ISO 9001: 2008

WHEELS AND CASTOR



THREADTYPE

ITEM	DESCRIPTION	WEIGHT PER PC	QUANTITY PER BOX
TT – 50B – M	Wheel ø50mm, holeø11mm, 100kg static load capacity, swivel, brake.	0,159	kg 50
TT – 50B – E – M	Wheel ø50mm, holeø11mm, 100kg static load capacity, swivel, brake, ESD.	0,159	kg 50
TT – 75B – M	Wheel ø75mm, holeø12,3mm, 150kg static load capacity, swivel, brake.	0,267	kg 50
TT – 75B – E – M	Wheel ø75mm, holeø12,3mm, 150kg static load capacity, swivel, brake, ESD.	0,249	kg 50
TT – 100B – M	Wheel ø100mm, holeø13mm, 160kg static load capacity, swivel, brake.	0,711	kg 24
TT – 100B – E – M	Wheel ø100mm, holeø13mm, 160kg static load capacity, swivel, brake, ESD .	0,711	kg 24



THREADTYPE

ITEM	DESCRIPTION	WEIGHT PER PC	QUANTITY PER BOX
TT – 50S – M	wheel ø50mm, holeø11mm, 100kg static load capacity, swivel.	0,142 kg 50	kg 50
TT – 50S – E – M	wheel ø50mm, holeø11mm, 100kg static load capacity, swivel, ESD.	0,142 kg 50	kg 50
TT – 75S – M	wheel ø75mm, holeø12,3mm, 150kg static load capacity, swivel.	0,213 kg 50	kg 50
TT – 75S – E – M	wheel ø75mm, holeø12,3mm, 150kg static load capacity, swivel, ESD .	0,213 kg 50	kg 50
TT – 100S – M	wheel ø100mm, holeø13mm, 160kg static load capacity, swivel.	0,552 kg 24	kg 24
TT – 100S – E – M	wheel ø100mm, holeø13mm, 160kg static load capacity, swivel, ESD.	0,552 kg 24	kg 24

WHEELS AND CASTOR



½" THREAD

ITEM	DESCRIPTION	WEIGHT PER PC	QUANTITY PER BOX
PT – 100S	wheel ø100 mm, 160kg static load capacity, swivel	0.583	KG 24
PT – 100S – E	wheel ø100 mm, 160kg static load capacity, swivel , ESD	0.583	KG 24
PT – 125S	wheel ø125 mm, 200kg static load capacity, swivel	0.723	KG 15
PT – 125S – E	wheel ø125 mm, 200kg static load capacity, swivel , ESD	0.723	KG 15
PT – 150S	wheel ø150mm, 200kg static load capacity, swivel	0.915	KG 15
PT – 150S – E	wheel ø150mm, 200kg static load capacity, swivel, ESD	0.915	KG 15
PT – 75B – E	wheel ø75mm, 150kg static load capacity, swivel, brake, ESD	0.299	KG 40
PT – 100B	wheel ø100mm, 160kg static load capacity, swivel, brake	0.766	KG 24
PT – 100B – E	wheel ø100mm, 160kg static load capacity, swivel, brake, ESD	0.766	KG 24
PT – 125B	wheel ø125mm, 200kg static load capacity, swivel, brake	0.903	KG 15
PT – 125B – E	wheel ø125mm, 200kg static load capacity, swivel, brake, ESD	0.903	KG 15
PT – 150B	wheel ø150mm, 200kg static load capacity, swivel, brake 1.087 KG 15	1.087	KG 15
PT – 150B – E	wheel ø150mm, 200kg static load capacity, swivel, brake, ESD	1.087	KG 15
PT – 75R	wheel ø75mm, 150kg static load capacity, rigid	0.160	KG 40
PT – 75R – E	wheel ø75mm, 150kg static load capacity, rigid, ESD	0.160	KG 40
PT – 100R	wheel ø100mm, 160kg static load capacity, rigid	0.483	KG 24
PT – 100R – E	wheel ø100mm, 160kg static load capacity, rigid, ESD	0.483	KG 24
PT – 125R	wheel ø125mm, 200kg static load capacity, rigid	0.626	KG 15
PT – 125R – E	wheel ø125mm, 200kg static load capacity, rigid, ESD	0.626	KG 15
PT – 150R	wheel ø150mm, 200kg static load capacity, rigid	0.830	KG 15
PT – 150R – E	wheel ø150mm, 200kg static load capacity, rigid, ESD	0.830	KG 15








FEET

ISO 14001: 2004 / ISO 9001: 2008



FEET

	
AD-SM [MOUNT, SQUARE]	AD-SMR [MOUNT, ROUND]
WEIGHT PER PC= 0.219KG QUANTITY PER BOX= 20 PCS	WEIGHT PER PC= 0.243KG QUANTITY PER BOX= 15 PCS



AD-SMR [STANCHION MOUNT, SQUARE]
WEIGHT PER PC= 0.297KG QUANTITY PER BOX= 15PCS


FLOORLOCK

ITEM	DESCRIPTION	WEIGHT PER PC	QUANTITY PER BOX
FL – 4040	floor lock, for use with 100mm dia, wheel	1.520 kg	8
FL – 4050	floor lock, for use with 125mm dia, wheel	1.540 kg	8
FL – 4060	floor lock, for use with 150mm dia, wheel	1.580 kg	8
FL – 4080	floor lock, for use with 200mm dia, wheel (on request)	1.620 kg	8


FEET

FEET



1/2" THREAD

ITEM	DESCRIPTION	WEIGHT PER PC	QUANTITY PER BOX
AD – 32 – WB	Adjustable foot, 1/2" thread, 32mm, metal base 70mm screw, 50mm thread	0.095 kg	300
AD – 32 – WC	Adjustable foot, 1/2" thread, 32mm, 100mm threaded length	0.110 kg	250
AD – 50 – WA	Adjustable foot, 1/2" thread, 50mm, metal base 70mm screw, 50mm thread	0.093 kg	200
AD – 50 – WB	Adjustable foot, 1/2" thread, 50mm, 100mm threaded length	0.130 kg	150
AD – 45	Adjustable foot, 1/2" thread, 45mm, metal base 50mm screw	0.100 kg	200
AD – 50 – RA	Adjustable foot, 1/2" thread, 50mm, 50mm threaded length, rubber pad	0.160 kg	120
AD – 50 – RB	Adjustable foot, 1/2" thread, 50mm, 100mm threaded length, rubber pad	0.175 kg	100



M 12 THREAD

ITEM	DESCRIPTION	WEIGHT PER PC	QUANTITY PER BOX
AD-32-WB-M	Adjustable foot, m12 thread, 32mm, metal base 70mm screw, 50mm thread	0.095 kg	300
AD-50-WA-M	Adjustable foot, m12 thread, 50mm, metal base 70mm screw, 50mm thread	0.115 kg	200
AD-45-M	Adjustable foot, m12 thread, 45mm, metal base 50mm screw	0.100 kg	200
AD-50-RA-M	Adjustable foot, m12 thread, 50mm, 50mm threaded length, rubber pad	0.150 kg	150
AD-50-RB-M	Adjustable foot, m12 thread, 50mm, 100mm threaded length, rubber pad	0.180 kg	100
AD-32-WC-M	Adjustable foot, m12 thread, 32mm, 100mm threaded length	0.157 kg	200
AD-50-WB-M	Adjustable foot, m12 thread, 50mm, 100mm threaded length	0.115 kg	200

FEET






CAPS AND BUSHINGS

ISO 14001: 2004 / ISO 9001: 2008



CAPS AND BUSHINGS



CAPS

ITEM	DESCRIPTION	WEIGHT PER PC	QUANTITY PER BOX
CAP-01-BK	Black plastic end cap, fits all pipes	0.003 KG	2500
CAP-01-EB ESD	Black plastic end cap, fits all pipes	0.003 KG	2500
CAP-03-IV	Ivory plastic outer cap	0.007 KG	2500
CAP-03-EB	Black plastic outer cap ESD	0.007 KG	2500
CAP-07-SA	Steel end cap for 0,7mm plastic coated pipe	0.007 KG	1000
CAP-07-SB	Steel end cap for 0,7mm stainless steel or powder coated pipe	0.007 KG	1000
CAP-08-S	Steel end cap for 0,8 mm powder coated pipe	0.070 KG	1000
CAP-10-S	Steel end cap for 1,0mm plastic coated pipe	0.007 KG	1000
CAP-11-S	Steel end cap for 1,1mm stainless steel or powder coated pipe	0.007 KG	1000
CAP-12-S	Steel end cap for 1,2mm stainless steel or powder coated pipe	0.007 KG	1000
CAP-20-S	Steel end cap for 2,0mm plastic coated pipe	0.070 KG	1000



CAPS AND BUSHINGS



BUSHINGS

ITEM	DESCRIPTION	WEIGHT PER PC	QUANTITY PER BOX
BS – 2807 – A	Bushingnut, M12-1/2" thread, for 0.7mm plastic coated	0,080 KG	300
BS – 2807 – B	Bushingnut, M12 thread, for 0.7mm plastic coated pipe	0,080 KG	300
BS – 2807 – D	Bushingnut, M12 thread, for 0.7mm stainless steel or powder coated pipe	0,095 KG	300
BS – 2808 – A	Bushingnut, M12-1/2" thread, for 0.8mm powder coated pipe	0,083 KG	300
BS – 2808 – B	Bushingnut, M12 thread, for 0.8mm powder coated pipe	0,083 KG	300
BS – 2810 – A	Bushingnut, M12-1/2" thread, for 1.0mm plastic coated pipe	0,073 KG	300
BS – 2810 – B	Bushingnut, M12 thread, for 1.0mm plastic coated pipe	0,073 KG	300
BS – 2810 – F	Bushingnut, M12 thread, for 1.0mm pipe	0,083 KG	300
BS – 2812 – A	Bushing nut, M12-1/2" thread, for 1.2mm stainless steel or powder coated pipe	0,077 KG	300
BS – 2812 – B	Bushingnut, M12 thread, for 1.2mm stainless steel or powder coated pipe	0,077 KG	300
BS – 2820 – A	Bushingnut, M12-1/2" thread, for 2.0mm pipe	0,065 KG	300
BS – 2820 – B	Bushingnut, M12 thread, for 2.0mm pipe	0,065 KG	300





FASTENER

ISO 14001: 2004 / ISO 9001: 2008



FASTENER



BOLTS

ITEM	DESCRIPTION	WEIGHT PER PC	QUANTITY PER BOX
M0625	M6 bolt, 25mm long	0.007 KG	4000
M0625L	M6 bolt, 25mm long, self locking	0.007 KG	4000
M0610	M6 bolt, 10mm	0.004 KG	5000



BOLTS


ITEM	DESCRIPTION	WEIGHT PER PC	QUANTITY PER BOX
M835 – Y	M8 bolt, 35mm long, yellow steel	0.017 KG	1000
M840 – Y	M8 bolt, 40mm long, yellow steel	0.018 KG	1000
M850 – Y	M8 bolt, 50mm long, yellow steel	0.021 KG	1000




SCREWS

ITEM	DESCRIPTION	WEIGHT PER PC	QUANTITY PER BOX
SC – 1	self cutting screw, 3.5 x 13mm, x-head, for use with metal	0.002 KG	5000
SC – 2	self cutting screw, 4.0 x 20mm, x-head, for use with metal	0.002 KG	5000

FASTENER

	NUTS			
	ITEM	DESCRIPTION	WEIGHT PER PC	QUANTITY PER BOX
	TN06 TN06L	M6 T – nut M6 T – nut, self locking	0.002 KG 0.002 KG	10000 10000

	NUTS			
	ITEM	DESCRIPTION	WEIGHT PER PC	QUANTITY PER BOX
	NN08 – Y	Nut, m8, yellow steel with nylon insert	0.005 KG	3000

 	WASHERS			
	ITEM	DESCRIPTION	WEIGHT PER PC	QUANTITY PER BOX
	PW10 – Y PW12 – Y SW10 – Y SW12 – Y	M10 Flat washer M12 Flat washer M10 Spring washer M12 Spring washer	0.002 KG 0.002 KG 0.002 KG 0.002 KG	5000 5000 5000 5000



Modular Europa

2 Rue Martine,
60410 Roberval,
France

Tel: +33 (625) 750 809

www.moduasm.fr

Modular Asia

Haiwan Industrial Area,
Pulandian Dalian 116200,
China

Tel: +86 (411) 66316207

www.moduasm.com

Modular México

Av. Santa Ana Tepetitlan 250
Col. Agrícola, Zapopan,
México

Tel: +52 1(33) 1107 1612

www.moduasm.mx

